


NOTES

1. TURNAROUND CAN BE ON EITHER SIDE OF STREET.
2. THIS TEMPORARY TURNAROUND MAY BE ABANDONED AND THE EASEMENTS AUTOMATICALLY VACATED UPON THE EXTENSION OF THE STREET.
3. FOR ROADWAY WIDTHS LESS THAN 20 FEET, THE MINIMUM CENTERLINE RADIUS SHALL BE 50 FEET. FOR ROADWAY WIDTHS 20 FEET OR GREATER, THE MINIMUM CENTERLINE RADIUS SHALL BE 40 FEET.
4. IF NO CURBS ARE PRESENT, STREETS SHALL BE POSTED "NO PARKING – FIRE LANE" AS PER THE MUTCD, 50 FEET ON CENTER OR AS APPROVED.
5. FIRE DISTRICT APPROVAL MAY EXCEED THESE STANDARDS.

REVISION	DATE	BY
REVISED	11/19	AAR

DEPARTMENT OF TRANSPORTATION AND DEVELOPMENT
150 BEAVERCREEK ROAD
OREGON CITY, OR 97045

CLACKAMAS COUNTY

APPROVAL DATE: XX/XX/2019 SCALE: N.T.S.

TEMPORARY TURNAROUND

STANDARD DRAWING
C200