

808 CEMETERIES, AND CREMATORIES

808.01 CEMETERY~~CONDITIONAL~~ STANDARDS

Cemeteries shall comply with the following standards:

~~A. Crematories shall be located a minimum of five hundred (500) feet from any existing dwelling other than a dwelling on the site.~~

~~AB. Minimum Lot SizeArea for Cemetery: The minimum lot size isFifty (50) acres.~~

~~C. Minimum Lot Area for Crematory: Five (5) acres~~

~~BD. Location of Graves: Graves shall be located a minimum of ~~thirty (30)~~ feet from any public right-of-way.~~

~~E. Points of access must be approved in writing by the County Engineer and, if on a state highway, by the District State Highway Engineer.~~

~~F. A plat of the cemetery must be filed in the official county records.~~

~~G. No cemetery lots shall be offered for sale until an adequate water supply for irrigation has been developed and approved by the County and the appropriate water district.~~

~~H. Notwithstanding the above regulations, all cemeteries and related uses must comply with all State regulations pertaining to these uses.~~

808.02 CREMATORY STANDARDS

Crematories shall comply with the following standards:

A. Minimum Lot Size: The minimum lot size is five acres.

B. Separation from Dwellings: Crematories shall be located a minimum of 500 feet from any existing dwelling other than a dwelling on the subject property.