


NOTES:

1. BACKFILL MUST CONFORM TO CLACKAMAS COUNTY STANDARDS WITH MINIMUM 30" COVER OVER PIPES AND BURIED CABLES. SEE STANDARD DRAWING U200.
2. GAS LINE PREFERRED ON NORTH AND WEST SIDES OF STREET.
3. WATER LINE PREFERRED ON SOUTH AND EAST SIDES OF STREET (VERIFY WITH LOCAL WATER UTILITY).
4. SANITARY SEWER INSTALLED IN CENTER OF STREET.
5. CLACKAMAS COUNTY HAS PRECEDENCE IN LOCATION OF STORM SEWER. LOCATION OF STORM DRAINAGE FACILITIES TO BE APPROVED BY COUNTY.
6. PERMITS FOR ALL NEW UTILITY INSTALLATIONS WITHIN THE RIGHT-OF-WAY ARE REQUIRED BY CLACKAMAS COUNTY.

REVISION	DATE	BY	DEPARTMENT OF TRANSPORTATION AND DEVELOPMENT 150 BEAVERCREEK ROAD OREGON CITY, OR 97045		APPROVAL DATE: 2/1/13	SCALE: N.T.S.	STANDARD DRAWING U100
RESURRECTED DWG	12/12	RN			UNDERGROUND UTILITY PLACEMENT ZONES		