

Planning and Zoning Department of Transportation and Development

Development Services Building 150 Beavercreek Road | Oregon City, OR 97045 503-742-4500 | zoninginfo@clackamas.us www.clackamas.us/planning

Land use application for:

STREAM CONSERVATION AREA REVIEW

Staff Initials: File Number:

	Applica	tion Fee: \$9	991				
			APPLICANT INFO	ORMATION			
Applicant name:			Applicant em	ail:	Appli	cant phone:	
Applicant mailing ad	dress:		City:		State	e: ZIP:	
Contact person name (if other than applicant):			Contact person	Contact person email:		Contact person phone:	
Contact person mail	ing address:		City:		State	e: ZIP:	
			PROPOS	SAL.			
Brief description of p	proposal:						
			SITE INFORM				
Site address:				Comprehensive Plan de	signation:	Zoning district:	
Map and tax lot #:						Land area:	
•	Township:	Range: _	Section:	Tax Lot:			
	Township:	<i>Range:</i> _	Section:	Tax Lot:			
	Township:	Range: _	Section:	Tax Lot:			
Adjacent properties	under same owne	rship:					
	Township:	Range: _	Section:	Tax Lot:			
	Township:	Range: _	Section:	Tax Lot:			
Printed names of all	property owners:	١	Signatures of all pro	perty owners:	Date(s):		
I hereby certify th				g with the evidence su	 ıbmitted, ar	e in all respects	
Applicant signature:		.,	9		Date:		

A. Review applicable land use rules:

This application is subject to the provisions of <u>Section 704</u>, <u>River and Stream Conservation Area (RSCA)</u> of the <u>Clackamas County Zoning and Development Ordinance</u> (ZDO).

It is also subject to the ZDO's definitions, procedures, and other general provisions, as well as to the specific rules of the subject property's zoning district and applicable development standards, as outlined in the ZDO.

В.	Turn in all of the following:
	Complete application form: Respond to all the questions and requests in this application, and make sure all owners of the subject property sign the first page of this application. Applications without the signatures of <i>all</i> property owners are incomplete.
	Application fee: The cost of this application is \$991. Payment can be made by cash, by check payable to "Clackamas County", or by credit/debit card with an additional card processing fee using the <u>Credit Card Authorization Form</u> available from the Planning and Zoning website. Payment is due when the application is submitted. Refer to the FAQs at the end of this form and to the adopted <u>Fee Schedule</u> for refund policies.
	Site plan: Provide a site plan (also called a plot plan). A <u>Site Plan Sample</u> is available from the Planning and Zoning website. The site plan must be accurate and drawn to-scale on paper measuring no larger than 11 inches x 17 inches. The site plan must illustrate all of the following (when applicable):
	 Lot lines, lot/parcel numbers, and acreage/square footage of lots;
	 Contiguous properties under the same ownership;
	 All existing and proposed structures, fences, retaining walls, roads, driveways, parking areas, other impervious surfaces, and easements, each with identifying labels and dimensions;
	 Setbacks of all structures from lot lines, easements, and the mean high water line of streams;
	 Existing vegetation and locations of proposed tree-cutting and grading activity;
	 Other significant natural features (steep slopes, wetlands, geologic hazards, drainage areas, etc.); and
	 Location of utilities, wells, and all onsite wastewater treatment facilities (e.g., septic tanks, septic drainfield areas, replacement drainfield areas, drywells).
	Elevations of proposed structures: Attach to-scale drawings of each side of all proposed structures that include all measurements (height, length, width, and area).
	Cross-sections: Provide cross-section drawings of any area within the vegetative buffer or filter strip where grading, filling, or excavating will occur.
	Buffer restoration plan: Provide a stream buffer restoration plan showing the location, number, and species of native trees and vegetation to be planted.
	Evidence of required vegetation removal: If any proposed vegetation removal within a stream's required setback area is required by the Oregon Department of Fish and Wildlife, provide a copy of written notification

that such removal is required as part of a river or stream enhancement project.

C. Answer the following questions:

Accurately answer the following questions in the spaces provided. Attach additional pages, if necessary.

ZDO Subse	ction 704 05 s	allows except	ions to the m	inimum setha	ick from a "T	- vne F" str
Explain how	ction 704.05 a the use(s) decause of an ex	escribed in yo	ur response	to Question 1	ick from a "T is allowed v	ype F" str within the
Explain how	the use(s) de	escribed in yo	ur response	to Question 1	ick from a "T is allowed v	ype F" str within the
Explain how	the use(s) de	escribed in yo	ur response	to Question 1	ick from a "T is allowed v	Type F" str within the
Explain how	the use(s) de	escribed in yo	ur response	to Question 1	ick from a "T is allowed v	Ōype F" str within the
Explain how	the use(s) de	escribed in yo	ur response	to Question 1	ick from a "T is allowed v	ype F" str within the
Explain how	the use(s) de	escribed in yo	ur response	to Question 1	ick from a "T is allowed v	ype F" str within the
Explain how	the use(s) de	escribed in yo	ur response	to Question 1	ick from a "T is allowed v	ype F" strwithin the
Explain how	the use(s) de	escribed in yo	ur response	to Question 1	ick from a "T is allowed v	ype F" strwithin the
Explain how	the use(s) de	escribed in yo	ur response	to Question 1	ick from a "T is allowed v	ype F" str within the

3.	Are you storage	proposing any commercial or industrial facility, such as a structure, parking area, or area?
		NO
		YES, but the commercial or industrial facility will comply with the setbacks required by ZDO Subsection 704.04, and signs will be screened from view of the principal river by an opaque vegetation buffer, as shown in the attached plans. I understand that commercial and industrial facilities are subject to design review, pursuant to Section 1102.
4.	•	ercentage of the required setback area (distance) that will be preserved with native ion with all of the uses you've proposed in response to Question 1?
		%
5.	Will you	r proposal include tree cutting or grading?
		NO
		YES. Trees that endanger life or structures will be removed. Those trees are identified on the attached site plan and evidence (e.g., a report from a licensed arborist) that they endanger life or structures has been provided.
		YES. The tree cutting and/or grading is necessary to accommodate the proposal, as described in the box below <i>and</i> disturbed areas that are outside the footprint of structures and other improvements will be restored with native vegetation, as also described in the box below:
		YES. Vegetation removal has been approved by the Oregon Department of Fish and Wildlife, as part of a stream enhancement project and as described in the box below

How will you restore disturbed areas of the stream buffer with native vegetation following your proposed development, repair work, and/or site preparation with native trees and vegetation? When will the restoration work be completed?				

6.

FAQs

When is a Stream Conservation Area Review permit required?

Per Zoning and Development Ordinance (ZDO) <u>Section 704, River and Stream Conservation Area (RSCA)</u>, no tree cutting or grading can occur within a specified distance of County-regulated streams, unless explicitly allowed by an exception listed in Section 704, and no structure exceeding 120 square feet or 10 feet in height is allowed within that buffer unless also listed as an exception. Determination of whether any tree cutting, grading, or structure is allowed within the buffer, and of the conditions that will apply to an approval, requires a Stream Conservation Area Review permit.

What is the permit application process?

Stream Conservation Area Review permits are subject to a "Type II" land use application process, as provided for in <u>Section 1307</u> of the ZDO. Type II decisions include notice to owners of nearby land, the Community Planning Organization (if active), service providers (sewer, water, fire, etc.), and affected government agencies. If the application is approved, the applicant must comply with any conditions of approval identified in the decision. The Planning Director's decision can be appealed to the County Land Use Hearings Officer.

What is needed for the County to approve a land use permit?

A Stream Conservation Area Review permit *may* be approved after an evaluation by the County of applicable standards of the ZDO. The applicant is responsible for providing evidence that their proposal does or can meet those standards. In order to address the standards, the information requested in this application should be as thorough and complete as possible. A permit will only be approved or denied after a complete application is received and reviewed. The County approves an application only if it finds that the proposal meets the standards or can meet the standards with conditions.

How long will it take the County to make a decision about an application?

The County makes every effort to issue a decision on a Type II land use application within 45 days of when we deem the application to be complete. State law generally requires a final County decision on a land use permit application in an urban area within 120 days of the application being deemed complete, and within 150 days for a land use permit in a rural area, although there are some exceptions.

If an application is submitted and then withdrawn, will a refund be given?

If a submitted Type I application is withdrawn before a decision on the application is issued, 75% of the application fee paid, or the fee paid minus \$250, whichever is less, will be refunded. No refund will be given after a decision is issued. The \$5 Technology Fee is non-refundable.

Who can help answer additional questions?

For questions about the County's land use permit requirements and this application form, contact Planning and Zoning at 503-742-4500 or zoninginfo@clackamas.us. You can also find information online at the Planning and Zoning website: www.clackamas.us/planning.

Clackamas County is committed to providing meaningful access and will make reasonable accommodations, modifications, or provide translation, interpretation or other services upon request. Please contact us at 503-742-4545 or drenhard@clackamas.us.

503-742-4545: ¿Traducción e interpretación? | Требуется ли вам устный или письменный перевод? 翻译或口译 ? | Cấn Biên dịch hoặc Phiên dịch? | 번역 또는 통역?