



CATCH BASIN TYPE	V	Y	Y1	E	SPACING C TO C	NO. OF BARS PER GRATE	REMARKS
GB-2	2'-4 3/4"	2'-3 3/8"	1'-1 1/2"	5/8"	1 3/4"	8	2-GRATES
D	2'-4 3/4"	2'-3 3/8"	2'-3"	1 1/2"	3"	9	
GB	1'-3 1/4"	1'-1 7/8"	1'-1 1/2"	5/8"	1 3/4"	8	1-GRATE

NOTES

- MATERIALS AND FABRICATION SHALL CONFORM TO THE CURRENT APWA STANDARD SPECIFICATIONS.
- 3/8" CROSS BARS SHALL BE FLUSH WITH THE GRATE SURFACE AND MAY BE FILLET WELDED, RESISTANCE WELDED OR ELECTROFORGED TO BEARING BARS.
- GB CATCH BASIN FOR USE WITH CURB INLET CATCH BASIN WITH GRATE ONLY.



CLACKAMAS COUNTY
150 BEAVERCREEK ROAD
OREGON CITY, OR 97045

APPROVAL DATE: 2013 SCALE: N.T.S.

**CATCH BASIN-FRAME
AND GRATE**

STANDARD
DRAWING
**SWM
CB-4.0**