

830 UTILITY ~~CARRIER~~ CABINETS

830.01 STANDARDS

Utility ~~carrier~~ cabinets shall comply with the following standards:

- A. Maximum Volume: ~~Unless approved pursuant to Section 1203, Conditional Uses, I~~ the maximum combined volume of all utility ~~carrier~~ cabinets located on a single lot shall be:
1. Forty cubic feet in a residential or OSM zoning district inside the Portland Metropolitan Urban Growth Boundary (UGB);
 2. Two hundred cubic feet in a commercial or industrial zoning district inside the UGB; and
 3. Two hundred fifty cubic feet outside the UGB.;
- B. Maximum Height: The maximum height shall be five feet.
- C. Setback Exemption: Utility ~~carrier~~ cabinets are exempt from the minimum setback standards of this Ordinance.
- D. Contact Information: Utility companies shall clearly identify their ~~carrier~~ cabinets and provide an emergency telephone number where accidents or public safety concerns may be reported.
- E. Design, Screening, or Landscaping: Within the ~~UGBPortland Metropolitan Urban Growth Boundary~~, utility ~~carrier~~ cabinets shall be designed, screened, or landscaped to blend with the development on the same lot of record or, if the utility ~~carrier~~ cabinet is in ~~at~~ the road right-of-way, with the development on the lot of record nearest the cabinet.

[Amended by Ord. ZDO-224, 5/31/11; Amended by Ord. ZDO-248, 10/13/14; Amended by Ord. ZDO-268, 10/2/18]