To request translation or disability-related accommodations, please contact us at **DTDcompliance@clackamas.us** | **503-742-4400**.

Si quiere solicitar servicios de traducción o adaptaciones para la discapacidad, contáctenos en/al **DTDcompliance@clackamas.us** | **503-742-4400**.

Чтобы запросить перевод или приспособления, связанные с инвалидностью, пожалуйста, свяжитесь с нами по:
DTDcompliance@clackamas.us | **503-742-4400**.


Щоб попросити переклад або спеціальні послуги для осіб з особливими потребами, зверніться до нас, скориставшись такими контактними даними:
DTDcompliance@clackamas.us | **503-742-4400**.


如需翻译服务或残障相关的协助，请与我们联系：
DTDcompliance@clackamas.us | **503-742-4400**。

Để yêu cầu dịch vụ dịch thuật hoặc điều chỉnh liên quan đến tình trạng khuyết tật, vui lòng liên hệ với chúng tôi qua **DTDcompliance@clackamas.us** | **503-742-4400.**

Clackamas County
www.clackamas.us

ALTERNATIVE HIGH VOLUME DRIVEWAY WITH CURBS





SECTION A-A

NOTES

1. THE USE OF THIS DETAIL MUST BE APPROVED BY THE COUNTY AND SHOULD ONLY BE USED AT HIGH VOLUME DRIVEWAYS.
2. LOCATION AND DIMENSIONS TO BE APPROVED BY THE COUNTY ON A SITE SPECIFIC BASIS.
3. SPECIFICATIONS FOR CONCRETE AND MISCELLANEOUS MATERIALS USED IN CONSTRUCTION SHALL CONFORM TO CURRENT ODOT/APWA STANDARD SPECIFICATIONS. CONCRETE SHALL HAVE A MINIMUM COMPRESSIVE STRENGTH OF 3300 P.S.I. IN 28 DAYS.
4. CLACKAMAS COUNTY DEPARTMENT OF TRANSPORTATION AND DEVELOPMENT TO BE NOTIFIED FOR INSPECTION PRIOR TO CONCRETE PLACEMENT AND FOR FINAL INSPECTION.
5. DAMAGE TO EXISTING CURBS AND PAVEMENT CAUSED AS A RESULT OF DRIVEWAY APPROACH INSTALLATION SHALL BE REPLACED OR REPAIRED TO THE SATISFACTION OF THE COUNTY.
6. EXPOSED AGGREGATE FINISH IS NOT ALLOWED.

REVISION	DATE	BY
REVISION	11/19	RM

DEPARTMENT OF TRANSPORTATION AND DEVELOPMENT
150 BEAVERCREEK ROAD
OREGON CITY, OR 97045

CLACKAMAS COUNTY

APPROVAL DATE: 6/1/2020 SCALE: N.T.S.

ALTERNATIVE HIGH VOLUME DRIVEWAY WITH CURBS

STANDARD DRAWING
D675