To request translation or disability-related accommodations, please contact us at **DTDcompliance@clackamas.us** | **503-742-4400**.

Si quiere solicitar servicios de traducción o adaptaciones para la discapacidad, contáctenos en/al **DTDcompliance@clackamas.us** | **503-742-4400**.

Чтобы запросить перевод или приспособления, связанные с инвалидностью, пожалуйста, свяжитесь с нами по:
DTDcompliance@clackamas.us | **503-742-4400**.


Щоб попросити переклад або спеціальні послуги для осіб з особливими потребами, зверніться до нас, скориставшись такими контактними даними:
DTDcompliance@clackamas.us | **503-742-4400**.

如需翻译服务或残障相关的协助，请与我们联系：
DTDcompliance@clackamas.us | **503-742-4400**。

Để yêu cầu dịch vụ dịch thuật hoặc điều chỉnh liên quan đến tình trạng khuyết tật, vui lòng liên hệ với chúng tôi qua **DTDcompliance@clackamas.us** | **503-742-4400.**

Clackamas County
www.clackamas.us

POTHOLE REQUIREMENTS ASPHALT ROAD




PIPE ZONE – (SAND ON GAS LINES. 3/4"–0" AGGREGATE ALL OTHERS)

CDF ZONE

CORE PLUG – FULL DEPTH OF EXISTING ACP

12" GRIND & INLAY

POTHOLE REQUIREMENTS CONCRETE ROAD



PIPE ZONE – (SAND ON GAS LINES. 3/4"–0" AGGREGATE ALL OTHERS)

CDF ZONE

CONCRETE PLUG
2" PAST BOTTOM OF PANEL
5000 PSI QUICKSET

SEE U295 B FOR NOTES

REVISION	DATE	BY
REV 1	12/19	BP

DEPARTMENT OF TRANSPORTATION AND DEVELOPMENT

150 BEAVERCREEK ROAD
OREGON CITY, OR 97045

CLACKAMAS COUNTY

APPROVAL DATE: 6/1/2020 SCALE: N.T.S.

UTILITY POTHOLE REPAIR STANDARDS

STANDARD DRAWING

U295 A