RFP 2017-18 Single Family Weatherization Major Measure Price Sheet						
	Vendor Name:					
Item #	Description	Labor	Material	Total		
0	Miscellaneous Material					
1	Hourly Rate					
2	Post Blower Door Operations.					
3	Blower Door Directed Air-Sealing					
4	2- part Polyurethane foam system					
5	Sheetrock					
6	Seal Chimney Chaseway (basement & attic)					
7	Seal interior plumbing penetrations					
8	Attic Heat Producing Fixtures					
8.1	R-49 Blown-in Fiberglass					
9	R-38 Blown-in Fiberglass					
10	R-27 Blown-in Fiberglass					
11	R-19 Blown-in Fiberglass					
12	R-38 Blown-in Cellulose					
12-1	R-49 Blown-in Cellulose					
13	R-27 Blown-in Cellulose					
14	R-19 Blown-in Cellulose					
	Drill & Fill or Pull Boards (Labor only, material					
15	separate)					
16	Knee Wall/Pony Wall/Rim Joist Blocks					
	Add R-11 Unfaced Fiberglass Batts to existing					
17	Knee Wall insulation					
18	R-21 Kraft-faced Fiberglass					
19	Tyvek/FSK/Equivalent					
20	Twine only					
21	R-13 Blown- in Fiberglass Insulation					
22	R-15 Kraft-faced Fiberglass batt					
23	Roof Vent 50 NFA					
24	Roof Vent 92 NFA					
25	Gable Vent					
26	Soffit Vent or Freeze block Vent					
27	Repair &/or Replace Flat Access Door					
28	Cut & Make New Operable Flat Attic Access					
30	Wx & Insulate Existing Flat Attic Access					
24						
31	Repair &/or Replace Knee-wall Access Door					
32	Cut & Make Operable Knee-wall Access					
33	Cut in & Make inoperable Knee-wall Access					
34	Wx & Insulate Existing Knee-wall Access					

25	Luctall Navy Coastal Casta	<del>                                     </del>	<u> </u>
35	Install New Ground Cover		
36	Water Pipe Insulation		
	Add R-11 Unfaced Fiberglass Batts to existing		
38	insulation		
40	R-25 Faced Fiberglass Batts		
41	R-30 Faced Fiberglass Batts		
42	R-25 Fiberglass Floor Blow (Site built)		
43	R-30 Fiberglass Floor Blow (Site built)		
44	Floor with Ducts (additional labor only)		
46	Twine Floor only		
47	Irregular Joist Space (additional labor only)		
48	Low-Clearance (additional labor only)		
49	Air Barrier		
50	16 x 8 Vent in Wood/rescreen existing		
51	Intentionally left blank		
52	R-11 Vinyl Faced Fiberglass		
53	Intentionally left blank		
54	R-19 Vinyl Faced Fiberglass		
55	Intentionally Left Blank		
56	Duct Seal Entire System (site-built homes)		
57	2x4 R-13 Cellulose High Density		
58	2x6 R-25 Cellulose High Density		
59	2x8 R-30 Cellulose High Density		
60	2x10 R-38 Cellulose High Density		
61	2x12 R-44 Cellulose High Density		
62	R-13 Fiberglass		
63	R-13 Cellulose High Density		
	Install Cellulose Insulation in wall cavities, not		
64	high density		
	Cellulose Dense Pack in wall cavities where		
65	insulation already exists		
66	R-13 High Density Fiberglass		
67	R & R Shake Siding		
68	R & R Wood Siding		
69	R & R Vinyl Siding		
70	R & R Metal/Aluminum Siding		
71	R & R Asbestos Siding		
72	R & R Blind-Nailed Asbestos Siding		
73	R & R Asphalt Siding		
74	Access Drill and Fill		
75	Intentionally left blank		
76	Drill and Fill Stucco Siding		
77	Drill & Fill, access through interior walls		
78	Batt & cover open bump out		
79	Block & Blow Closed Bump Out		
80	Remove & Replace Existing Bath Fan	<del>                                     </del>	
	<u>.                                     </u>		

81	Vant Existing Bath Fan		I
	Vent Existing Bath Fan		
82	Remove & Replace Existing Kitchen Fan		
83	Vent Existing Kitchen Fan		
83.1	Install New Kitchen Range Hood		
83.2	Install a Humidistat Timer Switch		
	Install a Bath Fan Switch/Delay/Ventilation		
83.3	Controller		
83.4	Install New Bath Fan		
84	Furnish and Install Dryer Vent		
85	Fresh Air 80		
86	Jamb up Weatherstrip Kit		
87	Threshold & Door Shoe		
88	Retractable Sweep		
89	R & R keyed alike Lockset		
90	Intentionally Left Blank		
91	R & R Solid Core Pre-Hung/Door Blank		
92	R&R Pre-hung Door R-7		
93	R&R Manufactured Home Door R-7		
94	Intentionally Left Blank		
95	EPDM plus 3" Multi-Max or equivalent		
	EPDM plus 1 ½" Multi-Max or equivalent with R-		
96	19 FG attic blow		
	EPDM plus 1 ½" Multi-Max or equivalent with		
97	Blow R-21-38 FG attic )		
98	R-21 Fiberglass Floor Blow		
99	R-30 Fiberglass Floor Blow		
100	R-25 Fiberglass Floor Blow, add rodent barrier		
100	1. 25 Tiberglass Floor Blow, and rodelite buriler		
101	Add Cold Air Return grille in furnace closet door		
102	Seal Ducts Single Wide		
103	Seal Ducts Double Wide		
103	Seal branch duct connection (cut open where		
104	identified)		
104	,		
105	Replace existing crossover duct		
106	Install Blue/Pink Board		
107	Repair Belly Board		
108	Insulate Water Heater Closet inc. Door		
109	Insulate Water Heater Closet Door ONLY		
110	Vinyl Replacement Window		
111	Safety Glass		
112	R & R Double Strength Glass, wood sash		
113	R & R Glass Aluminum Sash		
114	Intentionally left blank		
115	intentionally left blank		
116	Under cut door (per door)		
117	Furnish & install by-pass grilles in door		

118	Furnish & install by-pass grilles in wall		
	Furnish & install by-pass grilles in ceilings		
119	including cross-over duct (10 FT)		
120	Add fresh air to return (1)		
	Restrict the flow of exhaust fans, supply ducts,		
121	and fresh air inlets		
122	Lead Safe Weatherization, hourly labor rate		